



podion.

MULTIMEDIA LECTERNS

MML RANGE

AV/IT
Integration

Height
Adjustable

Branding
Solutions

Custom
Options

Worldwide
Shipping

podionglobal.com

Podion Global Multimedia Lecter are proven to exceed the selection criteria of educational facilities, universities and colleges worldwide.

We have lecterns to suit small teaching rooms to the largest of lecture theatres.

Every lectern securely stores equipment that is easily accessible for the technician and highly functional for the end user.

Select from our range of accessories and options that further enhances functionality, security and portability. Customise your lectern with our in-house styling service.

FOR THE PRESENTER

Technology at your fingertips

The MML range securely stores all rack and non-rack mounted equipment to offer a seamless presentation experience for the user.

Ergonomically designed benchtops are flat and curved and provide generous space to house working peripherals neatly and within easy reach.

Even after the installation of a microphone, reading light, monitor arms, battery charges, document cameras and more, there is still plenty of space for a laptop, keyboard, mouse and paperwork.

Optional pull out shelves extend the working surface even further.

Twin cup holders, located below the benchtop, minimise the risk of nasty spills.

Electric height adjustment


Simply push a button to quickly and silently, raise or lower the entire work surface and rack mounted equipment to your most comfortable working height.

Clear sound and lighting

The optional shock mounted microphone minimizes noise transmission and the flexible gooseneck tube enables ideal placement.

Portability

Optional heavy duty, non-marking castor wheels enable each lectern to be moved from one presentation space to another, or simply to a storage room. Lockable wheels ensure stability when in use.



Anyone from a child to an adult can present in comfort

Minimum height
785mm or 31"

Maximum height
1085mm or 42"

PROMOTE YOUR BRAND

Add your logo

Logo panels are available in two sizes and are easily branded with the colour, finish and logo application of your choice. Select from high quality vinyl print, acrylic print or 3D Laser cut logo application.

Select your colours and finish

Lecterns are available for immediate delivery in stock colours:


- Black satin powder coat base, column and chassis
- Grey benchtop
- White apron/fins

Custom colours are available for the benchtop, apron/fins and logo panel.

Customisation service

As we design and manufacture our lecterns in-house, we can provide a unique level of customisation to meet your architectural, equipment and user needs.

Our in-house design team can provide 3D rendered drawings and even build prototypes for large scale projects.



FEATURES

FOR THE INTEGRATOR

Intelligent storage of equipment

The MML range is equipped to house a range of technology elements to support the most demanding presentation applications.

MML-1 offers 8RU rack space in the top chassis;

- 1 x 5RU rack mounted in the front (audience side)
- 1 x 3RU rack mounted in the rear (presenters side)

MML-2 and MML-3 offers 16RU rack space in the top chassis;

- 2 x 5RU racks, mounted side by side, in the front
- 2 x 3RU racks, mounted side by side, in the rear

The base rack adds a further 24RU (4 x 6RU) of rack space to any lectern in the MML-2 and MML-3 range.

Smart cable management

Concealed cable management keeps equipment well organized, minimizing cable tangling and snagging, reducing clutter and improving installation and servicing workflow.

Natural convection

Ventilated panels and cable clearways promote airflow that helps keep equipment cool, preventing overheating, and extending device life.

360° Access to racks and cables

Integrators appreciate 360° access for the installation, trouble shooting and service of equipment via the;

- Removable benchtop
- Removable logo panel
- Removable side plates
- Optional slide out AV racks
- Optional slide out trays
- Removable column cover
- Removable base cover
- Access hatches in the base
- Cable knockouts in the base
- Access holes through to floor box


Security

Security features include;

- Lockable logo panel
- Lockable doors in the base rack
- Optional RU security plates, with or without cut outs


Benchtop cut out service

If you're not comfortable cutting your benchtop yourself then we can help you out. Our machining service offers custom cut outs that minimizes installation time at your end, ensures consistency of hole sizes and locations and avoids unnecessary disruption and dust on site.




Slim logo panel

Logo panel
in closed,
locked
position




Optional
5RU slide
out rack

Logo panel
in open
position for
equipment
access




Large logo panel

Logo panel
in closed
position



Optional
5RU slide
out rack

Logo panel
removed for
equipment
access



Accessibility


Removable
ventilated side
plate

Internal chassis


Removable
column cover


Removable base
cover

Access hatches



Removable benchtop






MML-1 RANGE

Compact solution that is popular for classrooms, training rooms, conferences and auditoriums.

MML-1

Total rack space: 8RU
 Storage in front: 5RU
 Storage in rear: 3RU
 Benchtop size: 1000mm x 820mm
 Logo panel: 640mm x 370mm



MML-1-L

Total rack space: 8RU
 Storage in front: 5RU
 Storage in rear: 3RU
 Benchtop: 1000mm x 820mm
 Logo panel: 610mm x 570mm



MML-2 RANGE

Medium sized solution that appeals to a broad range of presentation spaces.

MML-2

Total rack space	16RU
Storage in front	10RU
Storage in rear	6RU
Benchtop	1500mm x 920mm
Logo panel	1150mm x 370mm



MML-2-B

Total rack space	40RU
Storage in top	16RU
Storage in base	24RU
Benchtop	1500mm x 920mm
Logo panel	1150mm x 370mm



MML-2-L

Total rack space	16RU
Storage in front	10RU
Storage in rear	6RU
Benchtop	1500mm x 920mm
Logo panel:	610mm x 570mm



MML-2-L-B

Total rack space	40RU
Storage in top	16RU
Storage in base	24RU
Benchtop	1500mm x 920mm
Logo panel:	610mm x 570mm




MML-3 RANGE

Flagship range popular with leading universities and colleges worldwide.


MML-3

Total rack space	16RU
Storage in front	10RU
Storage in rear	6RU
Benchtop	2000mm x 920mm
Logo panel	1150mm x 370mm



MML-3-B

Total rack space	40RU
Storage in top	16RU
Storage in base	24RU
Benchtop	2000mm x 920mm
Logo panel	1150mm x 370mm



MML-3-L

Total rack space	16RU
Storage in front	10RU
Storage in rear	6RU
Benchtop	2000mm x 920mm
Logo panel	610mm x 570mm



MML-3-L-B

Total rack space	40RU
Storage in top	16RU
Storage in base	24RU
Benchtop	2000mm x 920 mm
Logo panel	610mm x 570mm



A CLOSER LOOK

Specifications	MML-1	MML-1-L	MML-2	MML-2-B	MML-2-L	MML-2-L-B	MML-3	MML-3-B	MML-3-L	MML-3-L-B
Total rack space	8RU	8RU	16RU	40RU	16RU	40RU	16RU	40RU	16RU	40RU
Rack space in top chassis (front)	5RU	5RU	10RU	10RU	10RU	10RU	10RU	10RU	10RU	10RU
Rack space in top chassis (rear)	3RU	3RU	6RU	6RU	6RU	6RU	6RU	6RU	6RU	6RU
Rack space in base	n/a	n/a	n/a	24RU	n/a	24RU	n/a	24RU	n/a	24RU
For the presenter										
Electric height adjustment	S	S	S	S	S	S	S	S	S	S
Twin cup holder	S	S	S	S	S	S	S	S	S	S
Benchtop size	1000mmW 820mmD	1000mmW 820mmD	1500mmW 920mmD	1500mmW 920mmD	1500mmW 920mmD	1500mmW 920mmD	2000mmW 920mmD	2000mmW 920mmD	2000mmW 920mmD	2000mmW 920mmD
For the integrator										
Removable base cover	S	S	S	n/a	S	n/a	S	n/a	S	n/a
Knockouts in base	n/a	n/a	S	n/a	S	n/a	S	n/a	S	n/a
Access hole through to floor box	S	S	S	S	S	S	S	S	S	S
Custom benchtop cut outs	O	O	O	O	O	O	O	O	O	O
Branding options										
Logo panel size	640mmW 370mmH	610mmW 570mmH	1150mmW 370mmH	1150mmW 370mmH	610mmW 570mmH	610mmW 570mmH	1150mmW 370mmH	1150mmW 370mmH	610mmW 570mmH	610mmW 570mmH
Logo application (print, laser cut)	O	O	O	O	O	O	O	O	O	O
Choice of colour	O	O	O	O	O	O	O	O	O	O
Choice of gloss paint finish	O	O	O	O	O	O	O	O	O	O
Accessories										
Security, storage & portability										
3RU Security plate with cut out	O	O	O	O	O	O	O	O	O	O
3RU Security plate	O	O	O	O	O	O	O	O	O	O
19" 5RU Slide out rack	O	O	O	O	O	O	O	O	O	O
19" Slide out tray	O	O	O	O	O	O	O	O	O	O
Slide out shelves	n/a	n/a	n/a	n/a	n/a	n/a	O	O	O	O
Storage drawer	O	O	O	O	O	O	O	O	O	O
Castor wheels	O	O	O	O	O	O	O	O	O	O
Mounts										
Controller housing	O	O	O	O	O	O	O	O	O	O
Touch panel mount	O	O	O	O	O	O	O	O	O	O
iPad stand	O	O	O	O	O	O	O	O	O	O
Working peripherals										
Microphone with shock mount base	O	O	O	O	O	O	O	O	O	O
Shock mount base only	O	O	O	O	O	O	O	O	O	O
LED reading light	O	O	O	O	O	O	O	O	O	O
Monitor arm	O	O	O	O	O	O	O	O	O	O
Double battery charger holder	n/a	n/a	O	O	O	O	O	O	O	O
Single battery charger holder	O	O	O	O	O	O	O	O	O	O
Document camera cable cover	O	O	O	O	O	O	O	O	O	O

Product key:

S = Standard O = Optional n/a = Not available

 **Five Year Warranty**



AV & IT
integration



Height
adjustment



Add
logo




Add
options




Worldwide
shipping

Benchtop sizes


MML-1
MML-1-L



MML-2
MML-2-L
MML-2-B
MML-2-L-B



MML-3
MML-3-L
MML-3-B
MML-3-L-B



ACCESSORIES



Chromebase Mini Desk Mount

MML-CDMM-02

Multi-touch, all-in-one display based on the Chrome OS. Designed for high-touch usage i.e. as a digital signage, POS, kiosk, meeting room management or corporate environments.



iPad & Tablet Desk Mount

MML-IPE

Available in 3 sizes, suitable for iPad, Android and Windows. Easy to install on any work surface. Lock in your tablet, then tilt and rotate it for optimal positioning. Available in Black and White.



MIMO Touchscreen Desk Mount

MML-MIMO-BTM


Desk mount for the MIMO Touchscreen display that offers a sleek, tamperproof design that supports landscape mounting and has a 55° viewing angle. Stainless steel, tamper proof design.



AMX Massio 8 Button Desk Mount

AMX-M8B-01


Delivers room automation experiences in a stylish, user-friendly package. The perfect solution for lecterns and touchdown points used in huddle spaces, small conference rooms, breakout rooms and K-12 classrooms.



Microphone clamp

LECT-CLAMP

Spring loaded, butterfly clamp gooseneck that accepts microphones of various sizes (wire or wireless). Simply plug it into the socket in the benchtop. The flexible gooseneck is height adjustable, allowing speakers of different heights to easily place the mic at any level for their comfort whilst presenting.



Microphone

LECT-MIC

Gooseneck microphone on a sleek flush mounted shock mount base. Designed to minimize shock or mechanical noise being transmitted to the microphone.



Reading light

LECT-LIGHT


Detachable gooseneck light with flush mounted plate. Provides an optimal light source to help avoid eye strain.



Slide out tray

MML-SOT


19" Slide out equipment tray. Solid steel construction and durable powder-coated finish. Elongated vent holes for optimum air circulation.



Slide out AV rack

MML-SOR

19" 5RU ventilated slide out AV rack. Solid steel construction and durable powder-coated finish. Ensures your equipment is kept cool and easily accessible.



Castor wheels

MML-CAST


Lockable castor wheels, allowing for effortless manoeuvrability and secure positioning during use. Not available on all models.



Security cover plate

MML-PCCP

Eliminate the prospect of tampering by thieves with this tough 158mm x 514mm 3RU security panel with cut out.



Slide out shelf

MML-SOS


Durable, commercial grade slide out shelf that expands your work surface. Not available on all models.



Storage drawer

MML-POD


Solid steel storage drawer. Provides convenient storage of miscellaneous items. Not available on all lecterns.



Single battery charger holder

MML-BCH

Well ventilated battery charger mount. Flush mounted with the work surface.



Double battery charger holder

MML-BCDH

Well ventilated, flush mounted double battery charger mount. Cover plates also available.



DISPATCH & SHIPPING

DISPATCH

How long will it take to dispatch my order?

Dispatch of your order will depend on stock levels and whether you are purchasing a standard lectern or a custom made lectern.

Dispatch time on standard products in stock

Product	Details	Dispatch Time
Standard lectern	Logo not required	2-3 Business Days
Standard lectern	Logo required	7-10 Business Days from receipt of artwork
Standard lectern	Custom benchtop cut-out required	10-15 Business Days

Dispatch time on standard products out of stock

Product	Details	Dispatch Time
Standard lectern	Logo required	3-4 Weeks
Accessories	Logo required	2-3 Weeks

Dispatch time on custom (manufactured to order) products

Product	Details	Dispatch Time
Custom lectern	Multiple modifications required	4-6 Weeks
Custom prototype	For a lectern or component	4-6 Weeks

SHIPPING

Where do you ship to?

We ship to anywhere in the world and have experience shipping to Australia, Dubai, Mexico, New Zealand and USA and many other countries.

Delivery time and cost within Australia

We offer free shipping to most destinations within Australia*.

Delivery location	Delivery estimate	Delivery cost
Capital cities	2-3 Business Days	FREE*
Regional / Rural	4-5 Business Days	FREE*
Australia wide	Express / Urgent Delivery	Contact us for a quote

* Free shipping terms and conditions

- Free shipping applies to the delivery of lecterns to the Mainland Australia and Tasmania, excluding post codes 0880, 0881, 0885, 2898, 2899, 4803, 6161, 6508, 6711, 6712, 6731, 6733, 6798, 6799 and 7256.
- For excluded areas, we are happy to ship free of charge to the nearest capital city. Further freight costs at the customers expense apply.
- Free shipping does not apply to accessories shipped separately.

Delivery time and cost to all other countries

Contact us for a competitive shipping quote and delivery time estimates.

What if my order is urgent?

If your order is urgent, please specify in the comments section when checking out or call us direct. We can arrange express delivery within Australia. Freight cost applies.

Order online at www.podionglobal.com
or call +61 (0)3 9708 6349

podion.

+61 (0)3 9708 6349

sales@podionglobal.com

100 Wedgewood Road, Hallam,
Victoria, Australia 3803

ABN 17 614 109 334

podionglobal.com