

## TDP-WC

podion.



### PRODUCT SPECIFICATIONS

Rack Storage:	4RU
Height:	Recommend wall mount height 865mm (34")
Logo Panel:	820mmW x 170mmH (32" x 7")
Worktop:	1125mmW x 700mmD (44" x 28")
Materials:	Laminate Bench Top Steel Body

(Finishes and customisation available on request.)

### DESCRIPTION


This versatile wall-mounted touchdown point positions room technology at the perimeter, providing educators with a dedicated space to connect devices, operate AV systems, and manage content before re-engaging with students.

Designed for straightforward AV and IT integration, it features lockable storage for 4RU of equipment and accommodates a customer-supplied micro-PC, with integrated cable management.

### KEY FEATURES

- Total rack space: 4RU
- Wheelchair accessible
- Easy access to equipment, for installation and servicing
- Keyed locks for security to prevent theft
- Natural convection cooling
- Smart cable management

### DIMENSIONS




Note: Recommended install height is 865mm.



[podionglobal.com](http://podionglobal.com)

+61 (0)3 9708 6349

TOUCHDOWN POINTS



## TDP-WC

podion.



### 4RU EQUIPMENT STORAGE

TDP-WC offers 4RU of space for mounting your AV / IT equipment:

1 x 3RU on slide out rack

1 x 1RU fixed rack strip mounted sideway



### WHEELCHAIR ACCESSIBLE

The floating, wall-mounted design with a tapered cable management cover allows for easy wheelchair entry and exit.

### PRODUCT RANGE



Standard



Micro PC Front Panel

### OPTIONAL WORKTOP ACCESSORIES


- Touch Panel Mounts
- Monitor Arms
- Battery Charger Holder
- Gooseneck Microphone
- LED Reading Light
- USB & GPO Outlets



[podionglobal.com](http://podionglobal.com)

+61 (0)3 9708 6349


TOUCHDOWN POINTS




TDP-WC

podion.

## PRODUCT OVERVIEW




## WALL MOUNTING PLATE TEMPLATE



podionglobal.com

+61 (0)3 9708 6349



TOUCHDOWN POINTS



TDP-WC

podion.

## PRODUCT TECHNICAL SPECIFICATIONS



podionglobal.com

+61 (0)3 9708 6349

TOUCHDOWN POINTS